



LSI
Logistics
Software
International

Logistics Solutions Provider
to
Supply Chain Management



Mobility Solutions
ISV/Software Solutions
Business Process and Integration

Suite 9.2, Level 1
Zenith Business Centre
6 Reliance Drive
Tuggerah NSW 2259
Australia
Tel: +61 2 4351 3500
Email: support@lsi.net.au
Web site: www.lsi.net.au
ABN: 33 414 337 680

iSupply software application - release advice - version 8.7.8.1

Prerequisites - iSupply

iSupply version 8.7.7.1
Microsoft .NET Framework 4.0
Microsoft Report Viewer 2010 SP1
SAP Crystal Reports Runtime Engine for .NET Framework 4

Prerequisites - iSupplyRF

Microsoft .NET Compact Framework 3.5

iSupply release and version details

iSupply version: 8.7.8.1
Release status: General release
Applications released: iSupply, iSupplyWeb, iSupplyRF

This release must be installed to the test environment and user acceptance tested before installation to the live environment

iSupply version 8.7.8.1

released 24/05/2013 (018364)

MSI path and name:

<http://www.lsi.net.au/files/versions/iSupply-8-7-8-1.zip>

SQL update scripts:

DB8-7-8-1.sql

Release inclusions and notes

Job-no	Code	Details/remarks
--------	------	-----------------

018285	PM	Pick/Pack Rectify crash with parallel transactions error message iSupplyRF [TD2] (NHU)
018290	PM	Pick/Pack Disable scanning on pick slip header to prevent incorrect IBN recording iSupplyRF [TD2] (NHU)
018295	PM	Import Orders Ensure derived receiver codes do not contain spaces and/or commas iSupply, iSupplyWeb, iSupplyPortal [TD2]
018315	LS	Print IBN Labels Rectify incorrect printing of IBN barcodes when printing ranges iSupply [TD2] (NHU)
018319	LS	Order Entry Always default orders to Held state if Sender/Warehouse maintains stock iSupplyPortal [TD2] (NHU)
018321	LS	Print IBN Labels Rectify barcode size to fit on label stationery iSupply [TD2] (NHU)
018358	PM	Ticket Expiry and Timeout Improve error messages when session ticket expires iSupplyPortal [TD2] (NHU)
018359	PM	Export Consignment Data to Transporter Australia Post - ensure that there is a delivery name populated iSupply [TD2] (NHU)
018360	PM	RF Task Monitor Ensure that an order with lower case sender code displays iSupply [TD2] (NHU)
018362	PM	Confirm RF Pick/Pack Boxes Disallow a change to transporter/service once the first IBN is scanned iSupply [TD2] (NHU)
018363	PM	Cycle Count Record a count of zero for a product iSupplyRF [TD2] (NHU)
018365	PM	Order Entry Ensure that an order contains a receiver name and address line 1 iSupplyPortal [TD2]
018368	PM	Confirm RF Pick/Pack Boxes Enable changes to receiver name and address iSupply [TD2] (NHU)
018376	PM	Confirm RF Pick/Pack Boxes Ensure that freight labels take note of Sender/Warehouse sending and warehouse name/address settings iSupply [TD2] (NHU)

New maintainable settings

Setting	Details
None	None

<u>Import/export file format changes</u>	
Transaction	Data fields
None	None

Notes

18362 Confirm RF Pick/Pack Boxes

When the first IBN of a pick slip is scanned, the user can change the transporter and service from the auto-populated defaults. Once the first IBN has been OK'd, the transporter and service are disabled for all subsequent IBNs in the pick slip. If, after the first IBN has been scanned, it is found that the transporter/service needs to be changed, all IBNs for the pick slip must be scanned and the consignment created. The consignment note is then changed via change mode and the freight labels reprinted.

18368 Confirm RF Pick/Pack Boxes

When the first IBN of a pick slip is scanned, the user can change the receiver name and address details. Once the first IBN has been OK'd, the receiver name and address details are disabled for all subsequent IBNs in the pick slip. If, after the first IBN has been scanned, it is found that the receiver name and address details need to be changed, all IBNs for the pick slip must be scanned and the consignment created. The consignment note is then changed via change mode and the freight labels reprinted.

iSupply install steps for this release when upgrading from iSupply version 8.7.7.1

Preparation

1. Ensure all users are logged out of iSupply and cannot log in.
2. Stop the eCS service on the server that runs it.
3. Stop any external processes that may access the iSupply database.
4. Make a backup copy of the iSupply SQL database.

Application server (x86)

1. Uninstall the currently installed iSupply Windows version via Control Panel.
2. Uninstall the currently installed iSupply eCS Service version via Control Panel.
3. Install iSupply Windows 8-7-8-1.msi by running "setup.exe".
4. Ensure that the configuration file "C:\Program Files\LSI\iSupply Windows\iSupplyWindows.exe.config" has been updated with the server and database names.
5. Install iSupply eCS Service 8-7-8-1.msi by running "setup.exe".
6. Ensure that the configuration file "C:\Program Files\LSI\iSupply eCS Service\iSupplyeCSService.exe.config" has been updated with the server and database names.

Application server (x64)

1. Uninstall the currently installed iSupply Windows version via Control Panel.
2. Uninstall the currently installed iSupply eCS Service version via Control Panel.
3. Install iSupply Windows 8-7-8-1 x64.msi by running "setup.exe".
4. Ensure that the configuration file "C:\Program Files\LSI\iSupply Windows\iSupplyWindows.exe.config" has been updated with the server and database names.
5. Install iSupply eCS Service 8-7-8-1 x64.msi by running "setup.exe".
6. Ensure that the configuration file "C:\Program Files\LSI\iSupply eCS Service\iSupplyeCSService.exe.config" has been updated with the server and database names.
7. NGEN iSupply Windows
 - 7.1. Place the files "ngen.exe" and "NGENiSupplyWindows.bat" into iSupply's installation directory (Default: "C:\Program Files\LSI\iSupply Windows\Client").
 - 7.2. Run the NGENiSupplyWindows.bat from command prompt as an Administrator
8. NGEN iSupply eCS Service
 - 8.1. Place the files "ngen.exe" and "NGENiSupplyeCSService.bat" into iSupply's installation directory (Default: "C:\Program Files\LSI\iSupply eCS Service\Client").
 - 8.2. Run the "NGENiSupplyeCSService.bat" from command prompt as an Administrator

Web server (x86)

1. Uninstall the currently installed iSupply Web Services version via Control Panel.
2. Uninstall the currently installed iSupply Web version via Control Panel.
3. Install iSupply Web Services 8-7-8-1.msi by running "setup.exe".
4. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWebServices\Web.config" has been updated with the server and database names.
5. Install iSupply Web 8-7-8-1.msi by running "setup.exe".
6. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWeb\Web.config" has been updated with the URL of the iSupplyWebServices.

Web server (x64)

1. Uninstall the currently installed iSupply Web Services version via Control Panel.
2. Uninstall the currently installed iSupply Web version via Control Panel.
3. Install iSupply Web Services 8-7-8-1 x64.msi by running "setup.exe".
4. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWebServices\Web.config" has been updated with the server and database names.
5. Install iSupply Web 8-7-8-1 x64.msi by running "setup.exe".
6. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWeb\Web.config" has been updated with the URL of the iSupplyWebServices.

Database server

1. Run the following database update script(s) (using SQL Server Management Studio) to update the iSupply database: DB8-7-8-1.sql.

Finalisation

1. Test run iSupply.
2. Start the eCS service on the server that runs it.
3. Start any external processes that may access the iSupply database.
4. Allow users to login to iSupply.