iSupply software application - release advice - version 9.79.1.1

Prerequisites - iSupply
iSupply version 9.78.1.1
Microsoft .NET Framework 4.0
Microsoft Report Viewer 2010 SP1
SAP Crystal Reports Runtime Engine for .NET Framework 4

Prerequisites - iSupplyRF
Microsoft .NET Compact Framework 3.5

iSupply release and version details
iSupply version: 9.79.1.1
Release status: General release
Applications released: iSupply, iSupplyWeb, iSupplyRF

This release must be installed to the test environment and user acceptance tested before installation to the live environment

iSupply version 9.79.1.1	**released 09/12/2024 (022484)**
MSI path and name:	http://www.lsi.net.au/files/versions/iSupply-9-79-1-1.zip
SQL update scripts:	DB9-79-1-1.sql

Release inclusions and notes

| Job-no	Code	Details/remarks
022168	LS	Export Consignment Data To Transporter - TOL620P Update for courier business unit compliance iSupply
022485	LS	Standard Order Import - End Point Add standard order end point iSupply, iSuppplyRESTServices
022486	AZ	iSupplyMI - Relocation Logging Log origin pick up bin zone and category in product movements iSupply, iSupplyRESTServices, iSupplyMI
022490	VA	Export Transporter Manifest - CNP620P Add optional book-in date and time iSupply, eCS
022491	PM	Export Consignment Data To Transporter - DIR620P Remove reference lines if Items = 0 iSupply, eCS

New maintainable settings

Setting	Details
Transporter Details	Default bookin date

Import/export file format changes

Transaction	Data fields
None	None

Notes

Transporter Manifest – Generic (CNP620P)
=====================================

The ability to assign a book-in date and time to a transporter manifest has been added to manifest creation program.

This will be included in the manifest export of manifest types that suppport it (for this release this is only the iSupply Generic manifest: CNP620P)

New Setting: Default book-in date (hours past manifest creation)
===

Maintenance Files --> Transporter --> Transporter Details --> Default book-in date (hours past manifest creation)

When configured:

1. The new Book-in date and time in manifest build programs will be automatically set to the current time + the number of hours set here (rounded to the hour)
2. If configured, the Book-in date and time is a mandatory entry

Toll Courier Compliance
==================

Maintenance Files --> Transporter --> Transporter Details --> Electronic Transfer Details -> Custom fields

New Custom Fields added to better handle commodities and accounts

ExportCodeType - LabelOnly (Should be used for non-Courier toll business), ExportOnly (Should be used for Courier toll business), Both (Default)
ExportSubAccount - True (Should be used for Courier toll business), False (Default, Should be used for non-Courier toll business)

A ExportCodeType over LabelOnly will be added for any existing transporters that have a custom field of BusinessUnit set up (assuming one does not exist)

iSupply install steps for this release when upgrading from iSupply version 9.78.1.1

Preparation

1. Ensure all users are logged out of iSupply and cannot log in.
2. Stop the eCS service on the server that runs it.
3. Stop any external processes that may access the iSupply database.
4. Make a backup copy of the iSupply SQL database.

Application server (x86)

1. Uninstall the currently installed iSupply Windows version via Control Panel.
2. Uninstall the currently installed iSupply eCS Service version via Control Panel.
3. Install iSupply Windows 9-79-1-1.msi by running "setup.exe".
4. Ensure that the configuration file "C:\Program Files\LSI\iSupply Windows\iSupplyWindows.exe.config" has been updated with the server and database names.
5. Install iSupply eCS Service 9-79-1-1.msi by running "setup.exe".
6. Ensure that the configuration file "C:\Program Files\LSI\iSupply eCS Service \iSupplyeCSService.exe.config" has been updated with the server and database names.

Application server (x64)

1. Uninstall the currently installed iSupply Windows version via Control Panel.
2. Uninstall the currently installed iSupply eCS Service version via Control Panel.
3. Install iSupply Windows 9-79-1-1 x64.msi by running "setup.exe".
4. Ensure that the configuration file "C:\Program Files\LSI\iSupply Windows\iSupplyWindows.exe.config" has been updated with the server and database names.
5. Install iSupply eCS Service 9-79-1-1 x64.msi by running "setup.exe".
6. Ensure that the configuration file "C:\Program Files\LSI\iSupply eCS Service \iSupplyeCSService.exe.config" has been updated with the server and database names.
7. NGEN iSupply Windows
    7.1. Place the files "ngen.exe" and "NGENiSupplyWindows.bat" into iSupply's installation directory
  (Default: "C:\Program Files\LSI\iSupply Windows\Client\").
    7.2. Run the NGENiSupplyWindows.bat from command prompt as an Administrator
8. NGEN iSupply eCS Service
    8.1. Place the files "ngen.exe" and "NGENiSupplyeCSService.bat" into iSupply's installation directory
(Default: "C:\Program Files\LSI\iSupply eCS Service\Client\").
    8.2. Run the "NGENiSupplyeCSService.bat" from command prompt as an Administrator

Web server (x86)

1. Uninstall the currently installed iSupply Web Services version via Control Panel.
2. Uninstall the currently installed iSupply Web version via Control Panel.
3. Install iSupply Web Services 9-79-1-1.msi by running "setup.exe".
4. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWebServices\Web.config" has been updated with the server and database names.
5. Install iSupply Web 9-79-1-1.msi by running "setup.exe".
6. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWeb\Web.config" has been updated with the URL of the iSupplyWebServices.

Web server (x64)

1. Uninstall the currently installed iSupply Web Services version via Control Panel.
2. Uninstall the currently installed iSupply Web version via Control Panel.
3. Install iSupply Web Services 9-79-1-1 x64.msi by running "setup.exe".
4. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWebServices\Web.config" has been updated with the server and database names.
5. Install iSupply Web 9-79-1-1 x64.msi by running "setup.exe".
6. Ensure that the configuration file "C:\inetpub\wwwroot\iSupplyWeb\Web.config" has been updated with the URL of the iSupplyWebServices.

Database server

1. Run the following database update script(s) (using SQL Server Management Studio) to update the iSupply database: DB9-79-1-1.sql.

Finalisation

1. Test run iSupply.
2. Start the eCS service on the server that runs it.
3. Start any external processes that may access the iSupply database.
4. Allow users to login to iSupply.